

AUTHOR-SPECIES INDEX TO THE ORIOLE

VOLUMES VI-X, 1941-1945

- ANONYMOUS. Spring records from Milledgeville, VIII, 12
— Life members, members and associates of the G. O. S., September 1945, X, 61-63
BASSETT, ANNA S. A late specimen of Bachman's Warbler from Georgia, VI, 38
BELL, GLENN W. The Least Flycatcher breeding in northeast Georgia, VI, 36-37
— Correction, VII, 9
— The Golden Eagle in northeast Georgia, IX, 37
BURLEIGH, THOMAS D. Further notes on the birds of Athens, Clarke County, Georgia, VI, 5-7
— Occurrence of the Western Grasshopper Sparrow in Georgia, VI, 11-12
— Probable breeding of the Eastern Nighthawk in Clarke County, VI, 38
— The Arkansas Kingbird in Georgia, VII, 6
— Recent notes from Athens, Clarke County, Georgia, VIII, 17-18
BURNS, MARY. Blue-gray Gnatcatcher at Milledgeville in winter, VIII, 21
CARVER, G. L. Economic value of birds, IX, 3
DENTON, J. FRED. The Carolina Junco at Athens, Clarke County, Georgia, VII, 19-20
— Notes on the birds of Americus, Sumter County, Georgia, VII, 29-31; VIII, 3-5
— The Red-backed Sandpiper at Augusta, VII, 34-35
— The Redstart breeding at Americus, Sumter County, Georgia, VII, 35
— Bird friends encountered in the Republic of Honduras, C. A., VIII, 13-16
— A fall specimen of the Black-poll Warbler from Augusta, VIII, 20-21
— Ring-billed Gull at Augusta, VIII, 22
— A probable record of the Sage Thrasher in Georgia, VIII, 22-23
— A Nighthawk-Kingbird incident, VIII, 23-24
— Correction, VIII, 25
— The Christmas bird count in Georgia, 1943, IX, 16
— Correction, IX, 17
— Records with comments on the status of certain warblers in Richmond County, Georgia, IX, 30-31
— The Stilt Sandpiper at Augusta, IX, 35-36
— Royal Tern at Augusta, IX, 36-37
— The Mississippi Kite at Macon, IX, 37
— The Lincoln's Sparrow at Augusta, IX, 37-38
— Chimney Swift banded in Georgia recovered in Peru, IX, 38
— The 1944 fall season at Augusta, 39-40
— Partial albinism in a White-throated Sparrow, X, 10-11
— Winter and early spring records from Augusta, X, 12
— Notes on some birds of Cochran, Bleckley County, Georgia, X, 24-25
— The Yellow Warbler breeding at Augusta, Georgia, X, 30-31
— Early arrival of Purple Martin in Jones County, Georgia, X, 32
— Henslow's Sparrow at Augusta, Georgia, X, 33
— Henslow's Sparrow at Athens, Georgia, X, 33
— The 1945 spring season at Augusta, X, 34-35
DENTON, J. FRED and HALL, T. M. Warbler caught in spider's web, VIII, 23
DENTON, J. FRED and ODUM, EUGENE P. Bachman's Sparrow and Black-throated Green Warbler summering on Pinelog Mountain, Cherokee County, X, 53-55

- DREYFOOS, WALLACE D. Birding in the army, X, 20-22
 EYLES, DON E. Status of the Gray Kingbird in Georgia, VI, 1-5
 FINK, LOUIS C. Bird study can be fun, X, 1-3
 — Editorial, X, 35-36
 FITCH, FRANK, HALL, T. M. and BIVENS, THOMAS. Swallow-tailed Kite at Milledgeville, VII, 19
 FLEETWOOD, RAYMOND J. Bluebird nesting in ground, VI, 12-13
 — Lincoln's Sparrow in Jones County, Georgia, VI, 12
 — Sandhill Cranes in Jones County, Georgia, VII, 34
 — Cooper's Hawk breeding in Jones County, Georgia, X, 56
 — Prairie Warbler nesting in Jones County, Georgia, X, 56
 GAULDING, WILLARD, JR. Partial albinism in a Field Sparrow, VIII 9-10
 — Crested Flycatchers nesting in gourds, IX, 13
 — Unusual number of Cape May Warblers at Tifton, IX, 13
 — Carolina Wren roosting in mail box, IX, 13-14
 — Odd mannerism of Indigo Bunting, IX, 38
 — Another White-crowned Sparrow at Tifton, X, 8
 — Florida Gallinule and Bewick's Wren at Tifton, X, 32
 — The Barn and Long-eared Owls at Tifton, Georgia, X, 57
 GORDON, CLAIRE M. Paradise in Georgia, VIII, 13
 GRADY, MARY M. An adaptable Carolina Wren, VIII, 5-6
 GREENE, EARLE R. Georgia's first bird club, IX, 23-24
 GRIFFIN, WILLIAM W. The Christmas census in Georgia, 1940, VI, 7-11
 — Four unpublished Golden Eagle records from Georgia, VI, 12
 — Seasonal notes from Atlanta, VI, 14
 — Migration of birds in the Atlanta region, VI, 17-23
 — Seasonal notes from Atlanta, VI, 27-28
 — A Gannet on St. Simons Island, VI, 49
 — An invasion of the Red-breasted Nuthatch in Georgia, VII, 7
 — Seasonal notes from Atlanta, VII, 7-8
 GRIMES, S. A. An early nest of the Florida Nuthatch, IX, 13
 HAMES, FRANCES. Birding in France, X, 19-20
 HAMILTON, R. E. The Yellow Rail in Whitfield County, X, 8-9
 HAMILTON, MRS. R. E. Report of spring migration in the Dalton area, VI, 26-27
 — Red-breasted Nuthatch at Cloudland, Georgia, IX, 14
 HAMILTON, MRS. R. E., *et al.* Spring notes from Dalton and Whitfield County, IX, 14-15
 — Summer and fall (1944) notes from Dalton and Whitfield County, IX, 40
 HEBARD, FREDERICK V. Harlan's Hawk in Georgia, VI, 24
 — Yellow-throated Vireo in winter, VII, 6-7
 — The winter of 1941-42 in interior southeast Georgia, VII, 8-9
 — Correction, VII, 9
 — The Southern Pileated Woodpecker of southeastern Georgia, VIII, 1-3
 — Recent new or interesting winter records from interior southeastern Georgia, X, 4-6
 — Weights of Ring-necked and other ducks, X, 11
 — The Parula Warbler in southeastern Georgia, X, 22-24
 — Bird notes from southeastern Georgia, X, 26-28
 — Spring and summer notes from southeastern Georgia, X, 57-58

- HENDERSON, DANIEL W. The Mississippi Kite in Richmond County, VI, 24
 — On the food of the Southern Crow, VI, 25
 — The value of Bob-white propagation, X, 42-45
 HOPKINS, MILTON, JR. Little Blue Heron rookery near Fitzgerald, Georgia, VII, 34
 — Two additional species from the Fitzgerald region, VII, 35-36
 HOWE, BRANCH, JR. Spring occurrence of the Redhead Duck at Decatur, VIII, 9
 — A review of Christmas bird counts in Georgia, IX, 26-29
 — Correction, X, 12
 HOWELL, THELMA and DAVIS S. Bird study at Wesleyan College, IX, 5-6
 JOHNSTON, DAVID. Henslow Sparrow in the Atlanta region, VIII, 10
 — The Wilson's Warbler at Atlanta, VIII, 21
 — Fall notes from Atlanta, VIII, 24
 — Green-winged Teal and White-crowned Sparrow in Atlanta, IX, 11
 — Spring notes from Atlanta, 1944, IX, 14
 — Recent migration extremes at Atlanta, X, 6-8
 JONES, HAROLD C. The status of water-birds at Mount Berry, Georgia, VII 1-5; IX, 1-2
 MAJOR, JIMMY. Spring (1945) notes from Atlanta, X, 33
 — Additional records of mountain warblers, X, 55-56
 — Notes on a Least Bittern's nest at Atlanta, X, 56
 MAJOR, JIMMY and JOHNSTON, DAVID. Least Bittern breeding near Atlanta, IX, 36
 MAYFIELD, GEORGE R. D. C. Peacock-pioneer in field work for G. O. S. — an appreciation, IX, 24-26
 MEANLEY, BROOKE C. Notes on some birds of Bibb County, Georgia, IX, 3-5
 — Albino crows in Monroe County, IX, 13
 — Spring notes from Macon, IX, 15-16
 — The Golden-winged Warbler in Ocmulgee River bottom, IX, 39
 — First winter specimen of Oven-bird from Georgia, X, 9
 — Yellow-throated Warbler at Fitzgerald in winter, X, 9-10
 — Bobolink in central Georgia in winter, X, 10
 — Prairie Horned Lark at Macon in winter, X, 10
 — Bewick's Wren at Bowen's Mill, Ben Hill County, Georgia, X, 11
 — Lingering of migrants, X, 28-29
 — Wild Turkey in Ocmulgee River bottom, X, 32
 — The 1945 spring migration at Macon, X, 33-34
 MENABONI, SARA. Coastal observations from McIntosh County, Georgia, VI, 13-14
 MITCHELL, BILLY, SIMS, WARREN and HERRON, W. Red-breasted Nuthatch and Prairie Horned Lark at Dalton, IX, 12
 MURPHEY, EUGENE E. Notes from Richmond County, Georgia, IX, 38-39
 — Correction, IX, 41
 — Whistling Swan in Columbia County, Georgia, X, 12
 — In memoriam-William Henry LaPrade, X, 41-42
 NORRIS, ROBERT. New Year's notes from St. Simons, VI, 24-25
 — Winter notes from the Fitzgerald region, VI, 25-26
 — Spring notes from the Fitzgerald region, VI, 26
 — Fall season in Tift County, VI, 49

- Philadelphia Vireo in south Georgia, VI, 50
 — Some nesting data on the Acadian Flycatcher, VI, 51-52
 — Winter notes from Tift County, VII, 8
 — Notes on the nesting of a pair of Alabama Towhees, VII, 14-17
 — Partial albinism in three bird species, VII, 20-21
 — (Compiler) Observations and counts from about the State in October, 1942, VII, 31-34
 — Giant Red-wing in south Georgia, VII, 35
 — Arkansas Kingbird at Waycross, Georgia, VIII, 9
 — Specimen of Gray Kingbird from St. Simon's Island, IX, 9
 — White-crowned and Leconte's Sparrows in south Georgia, IX, 10
 NORRIS, ROBERT and GAULDING, WILLARD, JR. Another Scissor-tailed Flycatcher in Georgia, IX, 8-9
 ODUM, EUGENE P. Technics in life history study, VI, 29-35
 — Notes from Athens, VII, 20
 — Some possible range extensions in north Georgia, VIII, 6-8
 — What do we know about Georgia birds?, VIII, 18-20
 — Long-eared Owl, White-crowned Sparrows and Prairie Horned Larks at Athens, VIII, 20
 — Correction, VIII, 25
 — What do we know about Georgia birds?, IX, 6-8
 — What do we know about Georgia birds?, IX, 33-35
 — Summer occurrence of the Oven-bird at Athens, IX, 35
 — In quest of Georgia mountain warblers, X, 15-19
 — Northern species summering at the end of the Blue Ridge, X, 48-52
 — A nest of the Blackburnian Warbler in Pickens County, Georgia, X, 53
 — Chuck-will's-widow and Whip-poor-will in Dade County, X, 55
 PETRIDES, GEORGE A. and PETRIDES, M. White-crowned Sparrows wintering at Athens, IX, 10-11
 RAMSEY, RALPH, JR. A Red-breasted Nuthatch in Atlanta, VI, 50
 ROGERS, MABEL T. A specimen of the Golden Eagle from Milledgeville, IX, 12
 SCIPLE, GEORGE W., JR. and GRIFFIN, W. W. Another winter Spotted Sandpiper in Georgia, VI, 12
 SMITH, PARKER B. Ruffed Grouse breeding near Toccoa, Stephens County, X, 55
 — Two additional records of the Whistling Swan in Georgia, X, 56-57
 SPRUNT, ALEXANDER, JR. Summer birds of a coastal plantation, X, 45-48
 STEVENSON, HENRY M., JR. Summer residents of the Highlands, North Carolina region, VI, 41-43
 — Correction, VII, 9
 — A summer bird count from Lookout Mountain, IX, 16-17
 STODDARD, HERBERT L. The Blue Goose and the Lesser Snow Goose as migrants in Georgia, VII, 18-19
 THOMAS, WILLIAM. The Swallow-tailed Kite at Augusta, VIII, 22
 — Some additional Georgia records of interest, X, 25-26
 THOMAS, BILL and DENTON, J. F. The Mississippi Kite in Richmond County during 1943, VIII, 21-22
 TOMKINS, IVAN R. A Georgia specimen of the Iceland Gull, VI, 11
 — Snow Goose from the Savannah area, VI, 49-50
 — The Stilt Sandpiper in Georgia, VI, 50-51

- Sight record of European Cormorant in Georgia, VI, 51
 — Osprey occurrence in January, VII, 6
 — The range of the Little Sparrow Hawk in Georgia and South Carolina, VII, 13-14
 — A Blue Goose on Blackbeard Island, Georgia, VII, 17-18
 — Pine Siskins at Savannah, IX, 8
 — Gannets at sea off the Georgia coast, IX, 9-10
 WERNER, RAY C. Canada Geese in the Atlanta area, VI, 49
 — Veery in song in Atlanta, VII, 19
 — One of Jack Miner's geese reaches Georgia, VIII, 10
 — Short-eared Owl at Atlanta, IX, 11-12
 — A specimen of the Florida Barred Owl from Atlanta, IX, 12
 — Observations at a Red-bellied Woodpecker's nest, IX, 32-33
 — Whistling Swan in the Atlanta area, X, 29
 — A large "blackbird" roost at Atlanta, X, 29
 — Baltimore Oriole in Atlanta, X, 30
 — Kentucky Warbler nest in Atlanta, X, 31
 — Florida Nuthatch nesting in Atlanta, X, 31-32
 WHARTON, CHARLES H. A Swallow-tailed Kite from the Atlanta area, VI, 50
 Anhinga, see Water-turkey
 Baldpate, VI, 9, 18, 49; VII, 4; VIII, 24; IX, 15, 27, 38; X, 6, 11, 35
 Bittern, American, VI, 5, 18, 42; VII, 3; IX, 14, 15, 27; X, 6, 33, 47
 — Least, VI, 18, 49; IX, 36, 40; X, 6, 33, 46, 56
 Blackbird, Brewer's, VI, 10, 23; IX, 29; X, 21, 26
 — Red-winged, see Red-wing
 — Rusty, VI, 10, 23; IX, 15, 29; X, 34
 Bluebird, VI, 10, 12, 21, 45; VII, 20, 31; IX, 17, 28; X, 48
 Bobolink, VI, 23, 38; VIII, 4; IX, 39; X, 10, 28, 34, 35, 48
 Bob-white, VI, 9, 19, 43; VII, 8, 29, 32; VIII, 15; IX, 17, 28; X, 42, 47, 57
 Buffle-head, VI, 9, 18, 25; VII, 5; IX, 14, 15, 28; X, 6, 33
 Bunting, Indigo, VI, 23, 27, 48; VIII, 5; IX, 15, 16, 17, 38, 40; X, 18, 34
 — Painted, IX, 40; X, 34, 48
 Canvas-back, VI, 18; VII, 4; IX, 28
 Cardinal, VI, 11, 23; IX, 17, 29
 — Eastern, VI, 48; VIII, 5; X, 48
 — Florida, X, 27
 Cathird, VI, 10, 21, 45; VII, 20, 31; IX, 6, 17, 28; X, 12, 18, 25, 34
 Chaffinch, X, 20
 Chat, Yellow-breasted, VI, 22, 47; VIII, 4, 16; IX, 14, 15, 17, 40; X, 8, 18, 34, 48
 Chickadee, Carolina, VI, 10, 21, 45; VII, 30; IX, 17, 28; X, 48
 Chuck-will's-widow, VI, 20, 26; VII, 30; VIII, 12; IX, 14, 15, 16, X, 5, 7, 17, 18, 34, 47, 55, 57
 Coot, VI, 9, 19; VII, 33; VIII, 24; IX, 1, 15, 28, 40; X, 6
 Cormorant, VI, 8, 17, 27; VII, 8; X, 4, 34
 — Double-crested, VII, 2; IX, 27
 — European, VI, 51
 — Florida, X, 46
 Cowbird, VI, 4, 10, 23, 26, 47; VII, 9; VIII, 19; IX, 15, 29, 39; X, 29
 Crane, Sandhill, VII, 34; IX, 28
 Creeper, Brown, VI, 10, 21, 45; VII, 31; IX, 15, 28, 39; X, 34
 Crossbill, VI, 23
 — Red, VI, 48
 Crow, VI, 10, 21, 45; IX, 28
 — Fish, VI, 10; VII, 8; IX, 28; X, 12, 48
 — Southern, VI, 25; VII, 30; IX, 13, 17; X, 48
 Cuckoo, Black-billed, VI, 20; IX, 39
 — Yellow-billed, VI, 20, 27; VII, 30; VIII, 12, 17, 24; IX, 17; X, 7, 34, 47
 Dickcissel, VIII, 18; IX, 40; X, 34
 Dove, Ground, VI, 9, 19, 49; VII, 30; IX, 28; X, 12, 47, 57
 — Inca, X, 21
 — Mourning, VI, 9, 19, 43; VII, 30; VIII, 15; IX, 17, 28; X, 21, 47, 57
 — Ruddy Ground, VIII, 15
 Dowitcher, VI, 19
 Duck, Black, VI, 9, 18, 25; VII, 3; IX, 7, 27
 — Greater Scaup, VI, 9; IX, 28; X, 4
 — Lesser Scaup, VI, 9, 18, 24, 42; VII, 4, 33; IX, 15, 28; X, 11
 — Ring-necked, VI, 9, 18; VII, 4;

- IX, 15, 28; X, 11
 Ruddy, VI, 18; VII, 5, 32; IX, 14, 15, 16, 28
 Wood, VI, 9, 18; VII, 4, 8; VIII, 20; IX, 8, 27; X, 47
 Eagle, Bald, VI, 9, 18; IX, 28; X, 47
 Golden, VI, 12, 43; IX, 12, 37; X, 4
 Egret, American, VI, 8, 17; VII, 3, 32; VIII, 14; IX, 27, 40; X, 26, 34, 46
 Snowy, VI, 17, 49; VIII, 14; IX, 27, 39; X, 46
 Finch, Purple, VI, 11, 23, 25; IX, 15, 29
 Flicker, VI, 10, 20; IX, 17, 28
 Northern, VI, 44
 Southern, VII, 30; IX, 6; X, 47
 Flycatcher, Acadian, VI, 20, 27, 37, 44, 51; VII, 30; VIII, 17; IX, 16, 17; X, 34, 47
 Crested, VI, 20, 27, 44; VII, 30; IX, 13, 16, 17, 40; X, 18, 19, 34, 47, 57
 Least, VI, 20, 36, 44; VII, 9
 Olive-sided, VI, 44
 Scissor-tailed, VIII, 15; IX, 8; X, 21
 Gadwall, VI, 9, 18; VII, 3; IX, 16, 27; X, 4, 33
 Gallinule, Florida, VI, 19; VII, 29, 32; IX, 1, 28; X, 7, 32, 46
 Purple, VII, 36, X, 46
 Gannet, VI, 49; IX, 9, 27; X, 26
 Gnatcatcher, Blue-gray, VI, 21, 26, 45; VII, 31, 33; VIII, 12, 21; IX, 15, 16, 17, 28; X, 33, 34, 48
 Godwit, Marbled, X, 26
 Golden-eye, American, VI, 18; VII, 5, 8; VIII, 24; X, 6
 Goldfinch, VI, 11, 23, 48; VIII, 5; IX, 17, 25, 29
 Goose, Blue, VII, 8, 17, 18
 Canada, VI, 8, 18, 49; VII, 3; VIII, 10; IX, 27; X, 4
 Greater Snow, VII, 3
 Lesser Snow, VII, 18
 Snow, VI, 49
 Grackle, VI, 10, 14, 23, 26; VII, 33; IX, 29; X, 12, 29
 Boat-tailed, VI, 10; IX, 29
 Bronzed, VI, 26
 Florida, VIII, 4; X, 48
 Great-tailed, VIII, 16
 Mesquite, X, 22
 Purple, VI, 47; VIII, 4
 Grebe, Holboell's, VI, 17
 Horned, VI, 17; VII, 2; IX, 27
 Pied-billed, VI, 8, 17; VII, 2; IX, 15, 27, 38; X, 6
 Grosbeak, Blue, VI, 23; VIII, 5, 12, 24; IX, 16, 40; X, 8, 34
 Rose-breasted, VI, 23, 48; VII, 20; VIII, 5, 7, 24; IX, 40; X, 8, 29, 34, 52, 56
 Grouse, Ruffed, VI, 43; VIII, 7; X, 49, 50, 52, 55
 Gull, Bonaparte's, VI, 19, 27; IX, 2, 3, 28
 Glaucus, VI, 11
 Herring, VI, 9, 19; VII, 8; VIII, 24; IX, 2, 14, 28; X, 5, 7
 Iceland, VI, 11
 Laughing, VI, 19; IX, 28
 Ring-billed, VI, 9, 19; VIII, 22; IX, 2, 28; X, 12
 Hawk, American Rough-legged, X, 4
 Broad-winged, VI, 14, 18, 43; IX, 15, 17, 28, 39; X, 15, 34
 Cooper's, VI, 9, 18, 43; IX, 17, 28, 39; X, 47, 56
 Duck, VI, 9, 19, 43; IX, 16, 28; X, 7
 Florida Red-tailed, IX, 41
 Harlan's, VI, 24; VII, 9
 Little Sparrow, VII, 13
 Marsh, VI, 9, 18; VII, 29; VIII, 24; IX, 15, 28; X, 6, 35
 Pigeon, VI, 19; X, 34
 Red-shouldered, VI, 9, 18, 43; VII, 29; IX, 28; X, 12, 47
 Red-tailed, VI, 9, 18, 26, 43; VII, 29; IX, 17, 28, 41; X, 22, 47
 Sharp-shinned, VI, 9, 18, 43; IX, 28
 Sparrow, VI, 9, 19, 26, 28, 43; VII, 13, 29; IX, 28
 Western Red-tailed, VI, 24; VII, 9
 Heron, Black-crowned Night, VI, 17, 27; IX, 14; X, 46
 Great Blue, VI, 8, 17, 42; VII, 2, 29; IX, 27
 Green, VI, 17, 27, 28, 42; VII, 3, 29, 32, 34; VIII, 14; IX, 15, 16, 27; X, 6, 12, 34, 47
 Little Blue, VI, 8, 17; VII, 3, 29, 34; VIII, 14, 24; IX, 16, 27, 40; X, 6, 34, 47
 Louisiana, VI, 8, 17; IX, 27, 39; X, 46, 57
 Ward's, IX, 27; X, 47
 Yellow-crowned Night, VI, 18; VIII, 14; IX, 40; X, 4, 33, 47
 Hummingbird, Ruby-throated, VI, 20, 26, 43; VII, 30; IX, 16, 17; X, 34, 47
 Hybrid, Mockingbird-Thrasher, VIII, 22; IX, 17
 Ibis, Eastern Glossy, X, 26
 White, VI, 18; IX, 39; X, 47
 Wood, IX, 39, 40; X, 46
 Jaeger, Parasitic, X, 26
 Jay, Blue, VI, 10, 20, 44; VII, 30; IX, 17, 28; X, 48
 Junco, VI, 23, VII, 8; VIII, 5; IX, 15,

- 29; X, 8, 34
 Carolina, VI, 25, 48; VII, 19; VIII, 7
 Slate-colored, VI, 11, 26
 Killdeer, VI, 9, 19; VII, 9, 29; IX, 1, 28; X, 25
 Kingbird, Arkansas, VII, 6; VIII, 8, 9
 Eastern, VI, 2, 20, 44; VII, 30; VIII, 12, 15, 23; IX, 16, 40; X, 34, 48, 57
 Gray, VI, 1; IX, 9; X, 26
 Kingfisher, Belted, VI, 9, 20, 26, 44; VII, 30; IX, 17, 28; X, 12
 Kinglet, Golden-crowned, VI, 10, 21, 45; VII, 31; IX, 6, 15, 29, 40; X, 34
 Ruby-crowned, VI, 10, 21; VII, 31; IX, 6, 15, 29, 40; X, 34
 Kite, Mississippi, VI, 24; VII, 8; VIII, 21; IX, 37, 39; X, 34
 Swallow-tailed, VI, 50; VII, 19; VIII, 22
 Lark, Horned, VI, 10, 20; VII, 8; VIII, 8, 20; IX, 12, 15, 25, 28
 Northern Horned, IX, 28
 Prairie Horned, IX, 28; X, 10
 Limpkin, X, 4, 47, 57
 Loon, Common, VI, 17; VII, 2, 32
 Red-throated, VI, 8; IX, 27
 Mallard, VI, 8, 18; VII, 3; IX, 15, 27
 Man-o-war-bird, VIII, 14
 Martin, Purple, VI, 20, 44; VII, 30, 33; VIII, 12; IX, 15, 16, 17, 40; X, 5, 32, 33, 34, 48, 57
 Meadowlark, VI, 10, 23; IX, 3, 29; X, 21
 Southern, VI, 47; VIII, 4; X, 48
 Western, X, 21
 Merganser, American, VI, 14, 18; VII, 5; IX, 15, 28
 Hooded, VI, 9, 18; VII, 5, 8; IX, 28
 Red-breasted, VI, 9, 18, 27; VII, 5, 8; IX, 28
 Mockingbird, Eastern, VI, 10, 21, 45; VII, 31; IX, 6, 28; X, 48
 Nighthawk, VI, 20, 26, 27; VII, 30; VIII, 24; IX, 15, 16; X, 7, 34, 57
 Eastern, VI, 26, 38
 Florida, VIII, 23; X, 47
 Nuthatch, Brown-headed, VI, 10, 21; VII, 30; IX, 6, 25, 28; X, 48
 Gray-headed, X, 27
 Florida, VII, 30; IX, 13; X, 31
 Red-breasted, VI, 21, 25, 45, 50; VII, 7, 20; VIII, 24; IX, 4, 12, 14, 16, 28; X, 5, 7
 White-breasted, VI, 10, 21, 45; VIII, 19; IX, 17, 28; X, 18
 Old-squaw, VI, 9, 18; VII, 5; IX, 28; X, 12, 26
 Oriole, Baltimore, VI, 23, 27, 47; VII, 20; IX, 38; X, 30, 34
 Orchard, VI, 23, 47; VIII, 4, 16; IX, 15, 16, 17, 40; X, 18, 25, 34, 48
 Osprey, VI, 18, 27; VII, 6; IX, 15, 28, 39; X, 34, 35, 47
 Oven-bird, VI, 6, 22, 38, 47; VIII, 7, 16, 25; IX, 15, 16, 17, 35, 39, 40; X, 5, 8, 9, 15, 18, 34, 35, 48
 Owl, Barn, VI, 20; IX, 28; X, 57
 Barred, VI, 9, 20, 43; VII, 30; IX, 12, 28; X, 47
 Burrowing, VI, 13
 Florida Screech, X, 5
 Great Horned, VI, 9, 20, 43; IX, 28; X, 47
 Long-eared, VI, 20; VII, 8; VIII, 20; X, 57
 Saw-whet, VI, 20
 Screech, VI, 9, 20, 28, 43; IX, 28
 Short-eared, IX, 11, 28; X, 7
 Snowy, X, 5
 Oyster-catcher, VI, 13; IX, 28
 PELICAN, Brown, VI, 8; VIII, 14; IX, 27; X, 25
 White, VI, 17
 Pewee, Wood, VI, 20, 44; VII, 30; VIII, 15, 24; IX, 16, 17; X, 7, 34, 48
 Phoebe, Eastern, VI, 10, 20, 44; VII, 30; IX, 17, 28, 39; X, 15, 25, 34
 Pintail, VI, 9, 18; VII, 4, 32; IX, 15, 27; X, 6
 Pipit, American, VI, 10, 21; VIII, 3; IX, 25, 29; X, 34
 Plover, Black-bellied, VI, 9, 19; VII, 7; IX, 28
 Semipalmated, VI, 9, 19; IX, 28, 39; X, 34
 Upland, VI, 19; IX, 2; X, 25, 28, 29, 34
 Wilson's, IX, 28
 Quail, California, IX, 3
 Rail, Black, VI, 43; X, 4
 Clapper, IX, 28
 King, VI, 9, 19, 43; IX, 1, 15, 28; X, 4, 47
 Sora, VI, 19, 25, 27; IX, 14, 40
 Virginia, VI, 9; IX, 28
 Yellow, X, 4, 8
 Raven, VI, 44; VIII, 7
 Redbreast, Robin, X, 19
 Redhead, VI, 18; VII, 4; VIII, 9; IX, 16, 27; X, 6
 Redstart, VI, 23, 26, 47; VII, 33, 35; VIII, 4, 12, 18; IX, 16, 39, 40; X, 29, 34, 35, 48
 Red-wing, VI, 10, 14, 23; IX, 25, 29
 Eastern, VI, 47; VIII, 4; X, 48
 Giant, VII, 35
 Robin, VI, 10, 21, 26, 45; VII, 8, 31; IX, 17, 28; X, 12, 16
 Sanderling, VI, 9; VIII, 15; IX, 28, 39
 Sandpiper, Least, VI, 19, 27; IX, 2, 28, 39, 40; X, 34, 35

- Pectoral, VI, 19; VII, 32; IX, 39, 40; X, 35
 Red-backed, VI, 9; VII, 34; IX, 28
 Semipalmated, VI, 19, 27; IX, 28, 40
 Solitary, VI, 19, VII, 29; IX, 2, 16, 39, 40; X, 25, 28, 29, 34, 35, 47
 Spotted, VI, 12, 19, 27; VII, 29; VIII, 15; IX, 2, 14, 16, 28, 39; X, 7, 34, 35
 Stilt, VI, 50; IX, 35, 39
 Western, VI, 9, 19; IX, 28
 White-rumped, VI, 19; X, 26
 Sapsucker, Yellow-bellied, VI, 10, 20, 44; VII, 30; VIII, 18; IX, 15, 28, 39; X, 25, 34
 Shoveller, VI, 9, 18; VII, 4; IX, 15, 27, 39; X, 34
 Shrike, Loggerhead, VI, 10, 21; VIII, 3; IX, 29; X, 48
 Siskin, Pine, VI, 23; VII, 7, 20; VIII, 24; IX, 8, 15, 16, 29, 38; X, 8
 Skimmer, Black, VI, 9; IX, 28
 Snipe, Wilson's, VI, 9, 19; VII, 29; VIII, 15; IX, 2, 28; X, 5, 34
 Sparrow, Acadian Sharp-tailed, VI, 25
 Bachman's, VI, 23, 26, 48; VII, 9; VIII, 5; IX, 15, 16, 25, 29; X, 8, 12, 33, 53
 Chipping, VI, 11, 23, 48; VIII, 5; IX, 7, 17, 29
 English, VI, 10, 23, 47; VIII, 4; IX, 7, 17, 29
 Field, VI, 11, 23, 26, 48; VII, 21; VIII, 5, 9; IX, 17, 29
 Fox, VI, 11, 23; IX, 29; X, 34
 Grasshopper, VI, 23, 26, 48, 49; VIII, 5; IX, 14, 15, 16, 29; X, 12, 34
 Henslow's, VI, 11, 26; VII, 32; VIII, 8, 10; IX, 16, 29; X, 8, 33, 34
 Ipswich, IX, 29
 Labrador Savannah, VIII, 5
 Lark, X, 21
 Leconte's, VI, 7, 14; IX, 10, 29
 Lincoln's, VI, 13, 23, 25, 27; VIII, 8; IX, 4, 16, 29, 37
 Macgillivray's Seaside, VI, 25
 Nelson's, IX, 29
 Pine-woods, VI, 49; IX, 25; X, 48, 57
 Savannah, VI, 11, 23, 26; VIII, 5; IX, 29, 39, 40; X, 35
 Seaside, IX, 29; X, 27
 Sharp-tailed, VI, 11, 49; IX, 29
 Song, VI, 11, 23, 48; VIII, 5, 7; IX, 29; X, 16, 17, 18
 Swamp, VI, 11, 23, 26; VIII, 5, 24; IX, 15, 29, 40; X, 8, 34
 Tree, X, 6
 Vesper, VI, 11, 23; VIII, 5; IX, 15, 29
 Wayne's Seaside, VI, 25
 Western Grasshopper, VI, 11
 White-crowned, VI, 23, 27; VIII, 20; IX, 10, 11, 14; X, 8
 White-throated, VI, 11, 23; VIII, 5, 24; IX, 7, 15, 29, 40; X, 8, 10, 35
 Starling, VI, 10, 14, 21, 45; VIII, 3, 19; IX, 17, 29; X, 29
 Swallow, Bank, VI, 4, 5, 20; IX, 15, 16, 39; X, 34
 Barn, VI, 6, 20, 27; VII, 33; VIII, 8, 12, 16; IX, 15, 16, 39; X, 34, 35
 Cliff, VI, 20
 Rough-winged, VI, 20, 26, 44; VII, 30; IX, 15, 17
 Tree, VI, 20, 26; VIII, 12; IX, 15, 28; X, 35, 48
 Swan, Whistling, X, 12, 29, 58
 Swift, Chimney, VI, 20, 26, 44; VII, 30; IX, 14, 15, 16, 17, 38; X, 7, 12, 34, 47
 Tanager, Scarlet, VI, 23, 48; VIII, 7; IX, 15, 16, 17, 40; X, 16, 18, 25, 29, 34, 35, 49, 52
 Summer, VI, 23; VII, 32; VIII, 4; IX, 15, 16, 17; X, 34, 48
 Teal, Blue-winged, VI, 18; VII, 4, 33; VIII, 14, 24; IX, 14, 27, 39, 40; X, 6, 33
 Green-winged, VI, 9, 18; VII, 4, 7; IX, 11, 14, 27; X, 6, 57
 Tern, Black, VI, 19; IX, 14, 39, 40
 Caspian, IX, 28
 Common, VI, 5, 9, 49; IX, 28
 Forster's, VII, 8; IX, 28
 Royal, VI, 9; IX, 28, 36
 Thrasher, Brown, VI, 10, 21, 45; VII, 31; IX, 6, 17, 25, 28; X, 48
 Sage, VIII, 22; IX, 17
 Thrush, Gray-checked, VI, 21, 26; VII, 31, 32
 Hermit, VI, 10, 21; VII, 31; IX, 14, 15, 28; X, 7, 34
 Olive-backed, VI, 21; VII, 31; IX, 15, 39; X, 28, 29, 34
 Song, X, 19
 Wood VI, 21, 26, 27, 45; VII, 31; VIII, 12; IX, 6, 14, 15, 16, 17, 25, 40; X, 7, 34, 48
 Titmouse, Tufted, VI, 10, 21, 45; VII, 30; VIII, 19; IX, 17, 28; X, 48
 Towhee, VI, 11, 23; IX, 17, 29; X, 18
 Alabama, VI, 11; VII, 14, 21; VIII, 5
 Red-eyed, VI, 7, 11, 48
 White-eyed, IX, 29; X, 48
 Tree creeper, X, 19
 Turkey, Eastern, VI, 9, 43; IX, 28; X, 32, 47, 57
 Turnstone, Ruddy, IX, 28
 Veery, VI, 21, 26, 45; VII, 19, 20, 31; VIII, 7; IX, 16, 28, 39, 40; X, 28, 29, 34
 Vireo, Blue-headed, VI, 10, 21, 25; VII, 8, 32; VIII, 3; IX, 15, 29; X, 34

- Mountain, VI, 46; VII, 9; VIII, 7; X, 17, 18, 50, 52
 Philadelphia, VI, 49, 50; VIII, 3
 Red-eyed, VI, 21, 46; VIII, 3, 24; IX, 15, 16, 17, 25; X, 7, 34, 48
 Warbling, VI, 21; IX, 25
 White-eyed, VI, 21, 26, 46; VII, 8; VIII, 3; IX, 15, 17, 25, 29, 40; X, 12, 33, 48
 Yellow-throated, VI, 21, 46; VII, 6; VIII, 3, 12; IX, 15, 16, 17, 25; X, 34
 Vulture, Black, VI, 9, 18; VII, 29; VIII, 15; IX, 28; X, 24, 47
 Turkey, VI, 9, 18, 43; VII, 29; VIII, 15; IX, 17, 28; X, 47
 Warbler, Bachman's, VI, 38; X, 5, 47
 Bay-breasted, VI, 22, 27; IX, 39
 Blackburnian, VI, 6, 22, 26, 27, 46, 49; VII, 31; VIII, 4, 17; IX, 15; X, 16, 17, 18, 51, 52, 53, 56
 Black and White, VI, 10, 21, 26, 28, 46; VII, 7; VIII, 3, 13, 16, 19, 24; IX, 4, 15, 16, 17, 29, 39; X, 7, 18, 34, 35, 48
 Black-poll, VI, 22, 26; VIII, 4, 20; IX, 14, 15, 30, 39; X, 7, 34, 35, 48
 Black-throated Blue, VI, 22, 26; VII, 31; IX, 16, 39, 40; X, 25, 34, 35, 48
 Black-throated Green, VI, 22, 27, 46, 49; VII, 31, 36; VIII, 16; IX, 14, 15, 17, 30, 39, 40; X, 17, 18, 19, 33, 34, 51, 52, 54
 Blue-winged, VI, 22, 27, 49; VIII, 3, 24; IX, 17, 30, 39, 40; X, 7, 17, 18
 Cairn's, VI, 46; VIII, 7; X, 17, 18, 52, 56
 Canada, VI, 23, 27, 47; VIII, 7, 18; IX, 30, 39; X, 8, 34
 Cape May, VI, 6, 22, 26; VII, 32; VIII, 4; IX, 13, 14, 15, 16, 39; X, 7, 25, 34, 58
 Cerulean, VI, 6, 22; VIII, 17; IX, 14, 25, 30, 39; X, 7
 Chestnut-sided, VI, 22, 26, 49; VIII, 7, 17; IX, 16, 39, 40; X, 16, 17, 18, 19, 34, 35, 50, 51, 52, 55
 Connecticut, VI, 22, 27; VII, 20; X, 34
 Florida Prairie, X, 27
 Golden-winged, VI, 6, 22, 46, 49; VIII, 24; IX, 30, 39, 40; X, 7, 18, 34, 50, 52
 Hooded, VI, 22, 27, 47; VIII, 4, 12, 16, 18; IX, 15, 16, 17, 40; X, 8, 34, 48
 Kentucky, VI, 22, 27, 47; VIII, 12; IX, 15, 16, 17; X, 31, 34
 Magnolia, VI, 22; VIII, 4; IX, 39, 40; X, 34
 Mourning, VI, 22
 Myrtle, VI, 10, 22; VIII, 4, 19; IX, 15, 29, 40; X, 35
 Nashville, VI, 22, 27
 Northern Parula, VII, 32; X, 24
 Northern Prairie, VI, 47; VIII, 4; X, 27
 Orange-crowned, VI, 6, 10, 22; VII, 7; VIII, 19; IX, 4, 29; X, 12
 Palm, VI, 10, 22; VIII, 19; IX, 25, 29, 39; X, 12, 35, 48
 Parula, VI, 22, 26; VIII, 23; IX, 15, 16, 17, 39, 40; X, 5, 12, 34, 48
 Pine, VI, 10, 22, 47; VIII, 4, 19; IX, 17, 25, 29; X, 48
 Prairie, VI, 22, 26, 49; VIII, 12; IX, 15, 16, 17, 40; X, 34, 56
 Prothonotary, VI, 21, 27; VII, 20; VIII, 3; IX, 16, 40; X, 34, 48
 Southern Parula, VI, 46; VIII, 3; X, 22
 Swainson's, VI, 21, 46, 49; IX, 16, 40; X, 7, 34, 48
 Tennessee, VI, 22; VII, 31, 32; IX, 40
 Wayne's, X, 47
 Western Palm, VIII, 4; IX, 29; X, 25
 Wilson's, VI, 7, 23, 27; VIII, 21, 24; X, 8
 Worm-eating, VI, 6, 22, 26, 46; VIII, 3, 24; IX, 8, 14, 16, 39, 40; X, 7, 34
 Yellow, VI, 22, 46; VII, 33; VIII, 3, 16; IX, 15, 16, 39; X, 15, 18, 30, 34
 Yellow Palm, VI, 6, 26; VIII, 4; IX, 25, 29
 Yellow-throated, VI, 10, 22, 26, 46; VIII, 4, 16, 19; IX, 15, 17, 29; X, 9, 12, 15, 18, 48
 Water-Thrush, VI, 22; VIII, 4, 16; IX, 29; X, 6, 8
 Louisiana, VI, 22, 26, 47; VIII, 4; IX, 15, 16, 17, 39; X, 34
 Northern, VI, 38; IX, 39, 40; X, 33, 35, 48
 Water-turkey, VII, 9; IX, 27; X, 26, 46
 Waxwing, Cedar, VI, 10, 21, 25, 26, 45; VIII, 3; IX, 15, 29, 40; X, 15, 35, 50, 52
 Whip-poor-will, VI, 20, 43; VIII, 7; IX, 17; X, 17, 18, 55
 Widgion, American, X, 11
 Willet, VI, 9; IX, 28
 Eastern, IX, 28
 Woodcock, VI, 9, 19, 43; IX, 2, 28; X, 4
 Woodpecker, Downy, VI, 10, 20, 44; VII, 30; VIII, 18; IX, 17, 28; X, 47, 57
 Golden-fronted, X, 22
 Great Spotted, X, 19
 Green, X, 19
 Hairy, VI, 10, 20, 44; VII, 30; VIII, 18; IX, 17, 28; X, 47

- Pileated, VI, 10, 20, 44; VII, 30;
 VIII, 1; IX, 17, 28; X, 12, 47
 Red-bellied, I, 10, 20; VII, 30;
 VIII, 15, 18, 25; IX, 17, 28, 32; X, 47
 Red-bellied, VI, 10, 20; VII, 30;
 X, 7, 25, 47
 Red-headed, VI, 10, 20, 44; VII, 8;
 VIII, 25; IX, 17, 28; X, 12, 47
 Wren, Bewick's, VI, 10, 21, 45; VIII, 7;
 IX, 17, 28; X, 11, 18, 25, 32
 Carolina, VI, 10, 21, 45; VII, 30;
 VIII, 5; IX, 13, 17, 28; X, 48
 House VI, 10, 21; VII, 31; VIII, 8,
 24; IX, 25, 28; X, 7, 34
 Long-billed Marsh, VI, 21; IX, 15, 28
 Ohio House, VII, 31
 Short-billed Marsh, VI, 4, 10, 21, 25;
 VII, 32; IX, 28; X, 33
 Winter, VI, 10, 21, 45; VII, 31; IX,
 15, 28; X, 34
 Worthington's Marsh, VI, 25; IX, 28
 Yellow-legs, Greater, VI, 9, 19, 49; VII,
 7, 32; IX, 2, 15, 28, 39; X, 12, 28, 29,
 34, 35
 Lesser, VI, 9, 19, 27; VII, 32; IX,
 2, 14, 39, 40; X, 7, 12, 28, 29, 34, 35
 Yellow-throat, VI, 10, 22; VIII, 16; IX,
 8, 29; X, 12, 18, 48
 Athens, VIII, 4
 Maryland, VI, 47; IX, 25
 Northern, VIII, 4